

## Message Text

CONFIDENTIAL

PAGE 01 PRETOR 00365 280758Z

22

ACTION SY-05

INFO OCT-01 AF-06 ISO-00 OC-05 CCO-00 /017 W

----- 061062

R 271438Z JAN 76

FM AMEMBASSY PRETORIA

TO SECSTATE WASHDC 3670

INFO AMEMBASSY ADDIS ABABA

AMEMBASSY TANANARIVE

C O N F I D E N T I A L PRETORIA 0365

ADDIS FOR RTC AND RSS FROM RSO

E.O. 11652: GDS

TAGS: ASEC

SUBJECT: ACQUISITION OF CONDUIT REQUIRED FOR ALARM INSTAL-  
LATION IN COMMUNICATIONS AREA - TANANARIVE

REF: 75 PRETORIA 3880

AS PER PARA TWO REFTTEL, REQUEST STATUS OF ORDER FOR CONDUIT  
FROM DEPARTMENT FOR TANANARIVE. UPON RECEIPT OF CONDUIT IN  
TANANARIVE, TSO/PRETORIA WILL VISIT POST TO PERFORM ULTRASONIC  
ALARM AND VARIOUS CONTACT-SWITCH ALARM INSTALLATIONS.  
BOWDLER

CONFIDENTIAL

NNN

## Message Attributes

**Automatic Decaptioning:** X  
**Capture Date:** 01 JAN 1994  
**Channel Indicators:** n/a  
**Current Classification:** UNCLASSIFIED  
**Concepts:** n/a  
**Control Number:** n/a  
**Copy:** SINGLE  
**Draft Date:** 27 JAN 1976  
**Decaption Date:** 01 JAN 1960  
**Decaption Note:**  
**Disposition Action:** RELEASED  
**Disposition Approved on Date:**  
**Disposition Authority:** buchant0  
**Disposition Case Number:** n/a  
**Disposition Comment:** 25 YEAR REVIEW  
**Disposition Date:** 28 MAY 2004  
**Disposition Event:**  
**Disposition History:** n/a  
**Disposition Reason:**  
**Disposition Remarks:**  
**Document Number:** 1976PRETOR00365  
**Document Source:** CORE  
**Document Unique ID:** 00  
**Drafter:** n/a  
**Enclosure:** n/a  
**Executive Order:** GS  
**Errors:** N/A  
**Film Number:** D760032-0215  
**From:** PRETORIA  
**Handling Restrictions:** n/a  
**Image Path:**  
**ISecure:** 1  
**Legacy Key:** link1976/newtext/t19760118/aaaaapcc.tel  
**Line Count:** 40  
**Locator:** TEXT ON-LINE, ON MICROFILM  
**Office:** ACTION SY  
**Original Classification:** CONFIDENTIAL  
**Original Handling Restrictions:** n/a  
**Original Previous Classification:** n/a  
**Original Previous Handling Restrictions:** n/a  
**Page Count:** 1  
**Previous Channel Indicators:** n/a  
**Previous Classification:** CONFIDENTIAL  
**Previous Handling Restrictions:** n/a  
**Reference:** 76 PRETORIA 3880  
**Review Action:** RELEASED, APPROVED  
**Review Authority:** buchant0  
**Review Comment:** n/a  
**Review Content Flags:**  
**Review Date:** 24 JUN 2004  
**Review Event:**  
**Review Exemptions:** n/a  
**Review History:** RELEASED <24 JUN 2004 by GarlanWA>; APPROVED <14 OCT 2004 by buchant0>  
**Review Markings:**

Margaret P. Grafeld  
Declassified/Released  
US Department of State  
EO Systematic Review  
04 MAY 2006

**Review Media Identifier:**  
**Review Referrals:** n/a  
**Review Release Date:** n/a  
**Review Release Event:** n/a  
**Review Transfer Date:**  
**Review Withdrawn Fields:** n/a  
**Secure:** OPEN  
**Status:** NATIVE  
**Subject:** ACQUISITION OF CONDUIT REQUIRED FOR ALARM INSTAL- LATION IN COMMUNICATIONS AREA - TANANARIVE  
**TAGS:** ASEC  
**To:** STATE  
**Type:** TE  
**Markings:** Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 04 MAY 2006